



ALUMINUM BODY

SIDE ROLL AND FRONTAL IMPACT PROTECTION

NOTE
DIMENSIONS SHOWN ARE APPROXIMATE AND ARE SUBJECT TO MINOR DEVIATIONS AS MAY OCCUR OR BE NECESSARY IN CONSTRUCTION. MINOR DETAILS NOT SHOWN.

- BATTERY CHARGER MOUNTED BEHIND DRIVER'S SEAT
- BATTERY CHARGE INDICATOR LOCATED NEAR DRIVER'S SEAT RISER WITH BRACKET
- AIR INLET WITH DISCONNECT COUPLING LOCATED ON DRIVER'S SEAT RISER
- STABILIZER AND COMPARTMENTS MODIFIED FOR 18" GROUND PENETRATION
- TWO 120V DUPLEX RECEPTACLES LOCATED IN CAB PER SHOP ORDER
- L.E.D. LIGHTING ON AERIAL LADDER SECTIONS
- 120V POWER TO AERIAL TIP
- 2-WAY INTERCOM SYSTEM BETWEEN AERIAL TIP AND TURNTABLE
- TRIDENT FOLDING STEPS ON AERIAL DEVICE
- LIFTING EYE ROPE RESCUE ATTACHMENT AT AERIAL TIP
- 1500 GPM HIGH FLOW WATERWAY
- WIRELESS MONITOR REMOTE CONTROL LOCATED IN COMPARTMENT PER ORDER
- AERIAL PEDESTAL RAISED 3.00"
- 14.00" LIMITED RETRACTION ON AERIAL DEVICE

REV	DATE	BY	CH	VELOCITY
130CT21	SHU	DTJ		
28SEP21	SHU	DTJ		
02SEP21	SHU	DTJ		
07MAY21	SHU	NDA		

		JOB NO.	36173
		SCALE	DATE
CHASSIS DATA TITLE 107' ACENDANT AERIAL LADDER AND BODY ASSMBLY NO PUMP/NO TANK FOR BEND FIRE AND EMS BEND, OREGON	DRAWN BY	SHU	04MAY21
	CHECKED BY	NDA	05MAY21
DWG NO.	36173AD-SH1		SHEET NO.
			1 OF 2