



ALUMINUM BODY MAXIMUM O.A.H. 117.00" MAXIMUM O.A.L. 366.00" MAXIMUM O.A.W. 102.00" SIDE ROLL AND FRONTAL IMPACT PROTECTION

NOTE
 DIMENSIONS SHOWN ARE APPROXIMATE AND ARE SUBJECT TO MINOR DEVIATIONS AS MAY OCCUR OR BE NECESSARY IN CONSTRUCTION. MINOR DETAILS NOT SHOWN.

1. BATTERY CHARGER LOCATED IN COMPARTMENT-LS3
2. TWO ELECTRIC CERAMIC HEATERS IN THE CAB
3. ONE 120V DUPLEX RECEPTACLE LOCATED IN CAB
4. L.E.D. LIGHT STRIPS WALKING SURFACE LIGHTING LOCATED IN THE CARGO AREA

REV	DATE	BY	CH	ENFORCER
1	15SEP20	BST	JJR	CHASSIS DATA
2	23JUL20	BST	JJR	MAKE
3	20JUL20	BST	JJR	PIERCE
4	28MAY20	BST	JJR	MODEL
5	31MAR20	BST	JJR	ENFORCER

		JOB NO.	34912-01-05
		SCALE	1:24
TITLE 1750-D-500P W/40 GAL. FOAM CELL, DELUGE, GENERATOR 161" PUMPER RESCUE BODY, LADDER TUNNEL THRU TANK		DRAWN BY	BST
		CHECKED BY	JJR
FOR WINNIPEG FIRE DEPARTMENT WINNIPEG, MB CANADA		SHEET SIZE	D
		SHEET NO.	1 OF 2
DWG NO. 34912AD-SH1			