



ALUMINUM BODY

SIDE ROLL AND FRONTAL IMPACT PROTECTION

**NOTE**  
DIMENSIONS SHOWN ARE APPROXIMATE AND ARE SUBJECT TO MINOR DEVIATIONS AS MAY OCCUR OR BE NECESSARY IN CONSTRUCTION. MINOR DETAILS NOT SHOWN.

- AIR INLET WITH DISCONNECT COUPLING LOCATED ON THE DRIVER SIDE PUMP PANEL
- AIR OUTLET WITH SHUT OFF VALVE LOCATED IN THE DRIVER SIDE PUMP PANEL
- BATTERY CHARGER WITH COVER LOCATED IN COMPARTMENT LS3
- CHOCK MOUNTING BRACKETS PROVIDED BY FIRE DEPARTMENT
- HANNAY BOOSTER REEL MODEL SBEP24-28-29 WITH CAPACITY FOR 200' OF 1.00" BOOSTER HOSE WITH 1/2 HP MOTOR LOCATED IN CARGO AREA

REV	DATE	BY	CH	ENFORCER
18JAN22	LME	JJR		CHASSIS DATA
17SEP21	LME	JJR		MAKE
17SEP21	LME	JJR		MODEL

		JOB NO.	36489
		SCALE	1:24
<b>MANUFACTURING INC.</b>		TITLE	1500-D-780P, 750 GAL WATER W/ 10 & 20 GAL FOAM CELLS 152" BODY, (3)CROSSLAYS, DELUGE, BOOSTER REEL, HLR
		FOR	CITY OF TUCSON TUCSON, ARIZONA
		CHECKED BY	JJR
		SHEET SIZE	D
		DWG NO.	36489AD-SH1
		SHEET NO.	1 OF 2