



| | |
|---|--|
| BODY 100' Steel Platform Alum Body COMPT, LEFT SIDE FRONT FH/FD RollUp w/o Chute COMPT, LEFT SIDE REAR FH/FD RollUp and Lift-up Rearward COMPT, RIGHT SIDE FRONT Full Height RollUp Forward COMPT, RIGHT SIDE REAR Full Height RollUp and Liftup Rearward | WATER TANK 300 Gallon PAP Notched Poly Water Tank Foam System Provisions for Future Husky Foam System Foam Cell 20 Gallon Foam Cell, Non-Reduced Water |
|---|--|

| | | | | | | | | | | |
|--|---|---|--|---|--|--|---|---|--|---|
| CHASSIS Velocity Chassis ENGINE 600 HP Cummins X15 Engine | CAB 7010 Notched Velocity FR Cab BUMPER 19" Extended Stainless Steel | AXLE, FRONT, CUSTOM 24,000 Lb TAK-4 Axle AXLE, REAR 60,000 Lb Meritor Axle | TRANSMISSION Allison 5th Gen, 4500 EV5 P | PUMPHOUSE 52" Control Zone Side Mount PUMP 2000 GPM Waterous CSU | CROSSLAYS, 1.50" (2) 1.50" Standard Capacity CROSSLAYS, 2.50" (1) 2.50" Standard Capacity | SPEEDLAYS Speedlays Not Required GENERATOR Generator Not Required | SAFETY Side Roll and Frontal Impact Protection | CUSTOMER APPROVAL APPROVED BY: _____ DATE: _____ | | JOB NO. 37090 SCALE 1:24 DATE _____ DRAWN BY TKA 09AUG21 CHECKED BY THS 09AUG21 SHEET SIZE D SHEET NO. 1 OF 1 |
| NOTE DIMENSIONS SHOWN ARE APPROXIMATE AND ARE SUBJECT TO MINOR DEVIATIONS AS MAY OCCUR OR BE NECESSARY IN CONSTRUCTION. MINOR DETAILS NOT SHOWN. | | | | | | | | | | |
| 1. ONE 1.50 OUTLET WITH 2.00 PIPING AND SWIVEL LOCATED IN CENTER BUMPER TRAY 2. SHORELINE RECEPTACLE WITH KUSSMAUL SUPER AUTO-EJECT LOCATED ON DRIVER SIDE OF THE CAB 3. BATTERY CHARGER LOCATED IN CREW CAB SEAT RISER 4. BATTERY CHARGE INDICATOR LOCATED ON THE DRIVER SIDE OF THE CAB 5. FOUR ADJUSTABLE SHELVES IN COMPARTMENTS PER SHOP ORDER 6. ONE ADJUSTABLE TILTING SLIDE-OUT TRAY IN COMPARTMENT PER SHOP ORDER 7. FOUR FLOOR MOUNTED SLIDE-OUT TRAYS IN COMPARTMENTS PER SHOP ORDER 8. ONE ALUMINUM PEGRBOARD ON BACK WALL OF COMPARTMENT PER SHOP ORDER 9. TWO WHELEN 700CELRZ L.E.D. LIGHTS LOCATED AT THE FRONT OF THE HOSE BED | | 10. MOUNTING PROVISIONS FOR FRONT INLET 11. HOSE STORAGE BOX AT PLATFORM BASKET FOR 100' OF 1.75" HOSE 12. BREATHING AIR TO AERIAL BASKET 13. 3.00" RAISED AERIAL PEDESTAL 14. 3-in-1 LYFECOMBO BRACKETS AT AERIAL BASKET 15. DC POWER TO AERIAL BASKET 16. NO LIMITED RETRACTION | | | | | | | | |

| | |
|---|---|
| CHASSIS DATA MAKE PIERCE MODEL VELOCITY | TITLE 100 AERIAL PLATFORM & BODY ASSEMBLY (PAP100A) FOR PIERCE FIELD UNIT APPLETON, WISCONSIN DWG NO. 37090AD |
|---|---|