



ALUMINUM BODY SIDE ROLL AND FRONTAL IMPACT PROTECTION MAXIMUM O.A.H. 139.00" MAXIMUM O.A.L. 469.50"

NOTE
DIMENSIONS SHOWN ARE APPROXIMATE AND ARE SUBJECT TO MINOR DEVIATIONS AS MAY OCCUR OR BE NECESSARY IN CONSTRUCTION. MINOR DETAILS NOT SHOWN.

- TWO 2.50 OUTLETS WITH 2.50 PIPING LOCATED IN BUMPER TRAY
- SHORELINE RECEPTACLE WITH KUSSMUL SUPER AUTO-EJECT LOCATED ON DRIVER SIDE OF THE CAB
- AIR INLET WITH DISCONNECT COUPLING ON THE DRIVER SIDE OF THE CAB
- BATTERY CHARGER LOCATED IN CAB PER ORDER
- BATTERY CHARGE INDICATOR LOCATED ON THE DRIVER SIDE BEHIND CAB DOOR
- TWO WALL MOUNTED PEGBOARDS IN COMPARTMENTS PER ORDER
- TWO FLOOR MOUNTED SLIDE-OUT TRAYS LOCATED IN COMPARTMENTS PER ORDER
- NON-RAISED AERIAL PEDESTAL
- 1500 GPM HIGH FLOW WATERWAY

CUSTOMER APPROVAL			
APPROVED BY:			
DATE:			
CHASSIS DATA	TITLE	107' ASCENDANT AERIAL LADDER AND BODY ASSEMBLY	
MAKE	FOR	500 GALLON WATER TANK	
PIERCE	FOR	HUMMELSTOWN CHEMICAL FIRE COMPANY NO.1	
MODEL	FOR	HUMMELSTOWN, PA	
ENFORCER	DWG NO.	37399AD	
REV	DATE	BY	CH

Pierce MANUFACTURING INC.		JOB NO.	37399
SCALE	1:24	DATE	
DRAWN BY	ANZ	DATE	25APR22
CHECKED BY	NDA	DATE	02MAY22
SHEET SIZE	D	SHEET NO.	1 OF 1